

## ERN eUROGEN Workstreams, Expertise Areas, Conditions & Codes, and Healthcare Provider Coverage (v.2023-06-23)

Workstream (WS)	Expertise Area (EA)	Conditions & Codes	Healthcare Providers (HCPs)
<p><a href="#">WS1 - rare congenital uro-recto-genital anomalies</a> (paediatric patients and parents)</p> <p><b>WS Lead:</b> Wout Feitz, NL Nijmegen Radboudumc</p> <p><b>Clinical Lead:</b> Andrzej Gołębiewski, PL Gdansk MUG</p> <p><b>Education Lead:</b> Jorgen Thorup, DK Copenhagen Rigshospitalet</p> <p><b>Research Lead:</b> Magdalena Fossum, DK Copenhagen Rigshospitalet</p>	<p><b>1.1 Complex genital reconstructions (Differences in Sex Development)</b></p> <p><b>EAC:</b> Katja Wolffenbuttel, NL Rotterdam Erasmus</p> <p><b>Vice-EAC:</b> Verena Ellerkamp, DE Tübingen UK</p> <p><b>ePAG:</b> Claire Harkin, <a href="#">KSA</a> (UK)</p>	<p>46,XX disorder of sex development induced by fetal androgens excess: ORPHAcode <a href="#">90776</a> / ICD-10 Code <a href="#">Q99.1</a></p> <p>46,XY disorder of sex development: ORPHAcode <a href="#">98085</a> / ICD-10 Code <a href="#">Q56.1</a></p> <p>Turner syndrome: ORPHAcode <a href="#">881</a> / ICD-10 Codes <a href="#">Q96.0</a>, <a href="#">Q96.1</a>, <a href="#">Q96.2</a>, <a href="#">Q96.3</a>, <a href="#">Q96.4</a>, <a href="#">Q96.8</a>, <a href="#">Q96.9</a></p> <p>Classic congenital adrenal hyperplasia due to 21-hydroxylase deficiency: ORPHAcode <a href="#">90794</a> / ICD-10 Code <a href="#">E25.0</a></p>	<p>AT Linz Ordensklinikum</p> <p>DE Munich LMUK</p> <p>DE Leipzig UK</p> <p>DE Mannheim UK</p> <p>DE Tübingen UK</p> <p>DE Ulm UK</p> <p>DK Aarhus DNU</p> <p>DK Copenhagen Rigshospitalet</p> <p>ES Barcelona Sant Joan</p> <p>ES Barcelona Vall d'Hebron</p> <p>ES Madrid La Paz</p> <p>ES Barcelona Fundació Puigvert</p> <p>FI Helsinki HUS</p> <p>FR Paris Necker</p> <p>FR Paris Robert-Debré</p> <p>IT Padua AOU</p> <p>IT Bologna AOU</p> <p>IT Rome Bambino Gesù</p> <p>LT Vilnius SK</p> <p>LV Riga BKUS</p> <p>NL Rotterdam Erasmus</p> <p>NL Nijmegen Radboudumc</p> <p>PL Gdansk MUG</p> <p>PL Krakow USD</p> <p>SE Stockholm Karolinska</p> <p>SE Gothenburg Sahlgrenska</p> <p>SE Uppsala Akademiska</p>
	<p><b>1.2 Bladder exstrophy/epispadias</b></p> <p><b>EAC:</b> Alaa El Ghoneimi, FR Paris Robert-Debré</p> <p><b>Vice-EAC:</b> Gundela Holmdahl, SE Stockholm Karolinska</p>	<p>Bladder exstrophy: ORPHAcode <a href="#">93930</a> / ICD-10 Code <a href="#">Q64.1</a></p> <p>Exstrophy-epispadias complex: ORPHAcode <a href="#">322</a> / ICD-10 Code <a href="#">Q64.1</a></p> <p>Agensis and aplasia of uterine body: ORPHAcode <a href="#">180142</a> / ICD-10 Code <a href="#">Q51.0</a></p> <p>Cloacal exstrophy: ORPHAcode <a href="#">93929</a> / ICD-10 Code <a href="#">Q64.1</a></p>	<p>AT Linz Ordensklinikum</p> <p>BE Ghent UZ</p> <p>BE Leuven UZ</p> <p>CZ Prague VFN</p> <p>DE Munich LMUK</p> <p>DE Leipzig UK</p> <p>DE Mannheim UK</p> <p>DE Regensburg UK</p> <p>DE Tübingen UK</p> <p>DE Ulm UK</p>

	<p><b>ePAG:</b> Steven Leusenkamp, <a href="#">Patiëntenvereniging voor Blaasextrofie Nederland</a> (NL)</p>		<p>DK Aarhus DNU  DK Copenhagen Rigshospitalet  ES Barcelona Sant Joan  ES Madrid La Paz  ES Barcelona Fundació Puigvert  FR Paris Necker  FR Paris Robert-Debré  IT Padua AOU  IT Milan Policlinico  IT Rome Bambino Gesù  LT Vilnius SK  LV Riga BKUS  NL Nijmegen Radboudumc  NL Utrecht UMC  PL Gdansk MUG  SE Stockholm Karolinska  SE Gothenburg Sahlgrenska  SE Uppsala Akademiska</p>
	<p><b>1.3 Rare urological stone &amp; kidney diseases</b></p> <p><b>EAC:</b> vacant</p> <p><b>Vice-EAC:</b> vacant</p>	<p>Classic homocystinuria, cystine stones: ORPHAcode <a href="#">394</a> / ICD-10 Code <a href="#">E72.1</a></p> <p>Genetic cystic renal disease: ORPHAcode <a href="#">93587</a> / ICD-10 Code <a href="#">Q61.1</a></p> <p>Bartter syndrome: ORPHAcode <a href="#">112</a> / ICD-10 Code <a href="#">E26.8</a></p> <p>Cystinosis: ORPHAcode <a href="#">213</a> / ICD-10 Code <a href="#">E72.0</a></p> <p>Cystinuria: ORPHAcode <a href="#">214</a> / ICD-10 Code <a href="#">E72.0</a></p> <p>Dent disease: ORPHAcode <a href="#">1652</a> / ICD-10 Code <a href="#">N25.8</a></p>	<p>AT Linz Ordensklinikum  BE Leuven UZ  DE Munich LMUK  DE Leipzig UK  DE Mannheim UK  DK Copenhagen Rigshospitalet  ES Barcelona Fundació Puigvert  FR Paris Robert-Debré  LV Riga BKUS  NL Nijmegen Radboudumc  PL Gdansk MUG</p>
	<p><b>1.4 Non-syndromic urogenital tract malformation</b></p> <p><b>EAC:</b> Giovanni Mosiello, IT Rome Bambino Gesù</p> <p><b>Vice-EAC:</b> Kate Abrahamsson, SE Gothenburg Sahlgrenska</p>	<p>Spina bifida: ORPHAcode <a href="#">823</a>, <a href="#">268369</a>, <a href="#">268377</a>, <a href="#">268748</a> / ICD-10 Codes <a href="#">Q05.0</a>, <a href="#">Q05.1</a>, <a href="#">Q05.2</a>, <a href="#">Q05.3</a>, <a href="#">Q05.4</a>, <a href="#">Q05.5</a>, <a href="#">Q05.6</a>, <a href="#">Q05.7</a>, <a href="#">Q05.8</a>, <a href="#">Q05.9</a></p> <p>Isolated partial vaginal agenesis: ORPHAcode <a href="#">96269</a></p> <p>Septate vagina: ORPHAcode <a href="#">180154</a></p> <p>Vaginal atresia: ORPHAcode <a href="#">65681</a></p> <p>Congenital primary megoureter: ORPHAcode <a href="#">617</a></p> <p>Congenital urachal anomaly: ORPHAcode <a href="#">435743</a></p> <p>Duplication of urethra: ORPHAcode <a href="#">237</a></p> <p>Congenital agenesis of the scrotum: ORPHAcode <a href="#">495879</a></p> <p>Congenital bilateral absence of vas deferens: ORPHAcode <a href="#">48</a></p> <p>Diphallia: ORPHAcode <a href="#">227</a></p> <p>Idiopathic isolated micropenis: ORPHAcode <a href="#">95707</a></p>	<p>AT Linz Ordensklinikum  BE Antwerp UZ  BE Leuven UZ  DE Munich LMUK  DE Leipzig UK  DE Mannheim UK  DE Regensburg UK  DE Tübingen UK  DE Ulm UK  DK Aarhus DNU  DK Copenhagen Rigshospitalet  ES Barcelona Sant Joan  ES Barcelona Vall d'Hebron  ES Madrid La Paz</p>

		<p>Penile agenesis: ORPHAcode <a href="#">49</a></p> <p>Penoscrotal transposition: ORPHAcode <a href="#">2842</a></p> <p>Fetal lower urinary tract obstruction: ORPHAcode <a href="#">435365</a></p> <p>Neurogenic bladder dysfunction (Hinman syndrome &amp; Ochoa syndrome): ORPHAcodes <a href="#">84085</a>, <a href="#">2704</a></p> <p>Caudal regression syndrome: ORPHAcode <a href="#">3027</a></p>	<p>ES Barcelona Fundació Puigvert</p> <p>FI Helsinki HUS</p> <p>FR Paris Necker</p> <p>FR Paris Robert-Debré</p> <p>IT Bergamo Papa Giovanni XXIII</p> <p>IT Padua AOU</p> <p>IT Turin AOU</p> <p>IT Milan Policlinico</p> <p>IT Rome Bambino Gesù</p> <p>LT Vilnius SK</p> <p>LV Riga BKUS</p> <p>NL Rotterdam Erasmus</p> <p>NL Nijmegen Radboudumc</p> <p>NL Utrecht UMC</p> <p>PL Gdansk MUG</p> <p>PL Krakow USD</p> <p>SE Stockholm Karolinska</p> <p>SE Gothenburg Sahlgrenska</p> <p>SE Lund SUS</p> <p>SE Uppsala Akademiska</p>
	<p><b>1.5 Posterior urethral valve</b></p> <p><b>EAC:</b> Yazan Rawashdeh, DK Aarhus DNU</p> <p><b>Vice-EAC:</b> Rafal Chrzan, PL Krakow USD</p>	<p>Congenital posterior urethral valves: ORPHAcode <a href="#">93110</a> / ICD-10 Code <a href="#">Q64.2</a></p>	<p>AT Linz Ordensklinikum</p> <p>BE Antwerp UZ</p> <p>BE Leuven UZ</p> <p>CZ Prague VFN</p> <p>DE Mannheim UK</p> <p>DE Regensburg UK</p> <p>DE Ulm UK</p> <p>DE Hamburg-Eppendorf UK</p> <p>DK Aarhus DNU</p> <p>DK Copenhagen Rigshospitalet</p> <p>ES Barcelona Sant Joan</p> <p>ES Barcelona Vall d'Hebron</p> <p>ES Madrid La Paz</p> <p>ES Barcelona Fundació Puigvert</p> <p>FI Helsinki HUS</p> <p>FR Paris Necker</p> <p>FR Paris Robert-Debré</p> <p>IT Bergamo Papa Giovanni XXIII</p> <p>IT Bologna AOU</p> <p>IT Milan Policlinico</p> <p>LT Vilnius SK</p> <p>LV Riga BKUS</p> <p>NL Rotterdam Erasmus</p> <p>NL Nijmegen Radboudumc</p>

			<p>NL Utrecht UMC</p> <p>PL Gdansk MUG</p> <p>PL Krakow USD</p> <p>SE Stockholm Karolinska</p> <p>SE Gothenburg Sahlgrenska</p> <p>SE Lund SUS</p> <p>SE Uppsala Akademiska</p>
	<p><b>1.6 Posterior hypospadias</b></p> <p><b>EAC:</b> Magdalena Fossum, DK Copenhagen Rigshospitalet</p> <p><b>Vice-EAC:</b> Alessandro Morlacco, IT Padua AOU</p>	<p>Non-syndromic posterior hypospadias: ORPHAcode <a href="#">95706</a> / ICD-10 Codes <a href="#">Q54.0</a>, <a href="#">Q54.1</a>, <a href="#">Q54.2</a>, <a href="#">Q54.3</a>, <a href="#">Q54.4</a>, <a href="#">Q54.8</a>, <a href="#">Q54.9</a></p>	<p>AT Linz Ordensklinikum</p> <p>BE Antwerp UZ</p> <p>BE Leuven UZ</p> <p>CZ Prague VFN</p> <p>DE Mannheim UK</p> <p>DE Regensburg UK</p> <p>DE Tübingen UK</p> <p>DE Ulm UK</p> <p>DE Hamburg-Eppendorf UK</p> <p>DK Aarhus DNU</p> <p>DK Copenhagen Rigshospitalet</p> <p>ES Barcelona Sant Joan</p> <p>ES Barcelona Vall d'Hebron</p> <p>ES Madrid La Paz</p> <p>ES Barcelona Fundació Puigvert</p> <p>FI Helsinki HUS</p> <p>FR Paris Robert-Debré</p> <p>IT Bergamo Papa Giovanni XXIII</p> <p>IT Padua AOU</p> <p>IT Bologna AOU</p> <p>IT Milan Policlinico</p> <p>IT Rome Bambino Gesù</p> <p>LT Vilnius SK</p> <p>LV Riga BKUS</p> <p>NL Nijmegen Radboudumc</p> <p>NL Utrecht UMC</p> <p>PL Gdansk MUG</p> <p>PL Krakow USD</p> <p>SE Stockholm Karolinska</p> <p>SE Gothenburg Sahlgrenska</p> <p>SE Lund SUS</p> <p>SE Uppsala Akademiska</p>
	<p><b>1.7 Urorectal/anorectal malformations</b></p>	<p>Non-syndromic anorectal malformation: ORPHAcode <a href="#">557</a> / ICD-10 Code <a href="#">Q42.0</a>, <a href="#">Q42.1</a>, <a href="#">Q42.2</a>, <a href="#">Q42.3</a></p> <ul style="list-style-type: none"> <li>with perineal fistula: ORPHAcode <a href="#">600952</a></li> <li>with rectourethral fistula, unknown type: ORPHAcode <a href="#">600961</a></li> </ul>	<p>BE Antwerp UZ</p> <p>BE Leuven UZ</p> <p>DE Berlin Charité</p> <p>DE Munich LMUK</p>

	<p><b>EAC:</b> Ivo de Blaauw, NL Nijmegen Radboudumc</p> <p><b>Vice-EAC:</b> Martin Lacher, DE Leipzig UK</p> <p><b>ePAGs:</b> Dalia Aminoff, <a href="#">AIMAR</a> (IT) Nicole Schwarzer, <a href="#">SoMA e.V.</a> (DE) Kate Tyler, <a href="#">TOFS</a> (UK)</p>	<ul style="list-style-type: none"> <li>with rectourethral fistula, bulbar type: ORPHAcode <a href="#">600966</a></li> <li>with rectourethral fistula, prostatic type: ORPHAcode <a href="#">600975</a></li> <li>with rectovesical fistula: ORPHAcode <a href="#">600984</a></li> <li>with vestibular fistula: ORPHAcode <a href="#">600993</a></li> <li>without fistula: ORPHAcode <a href="#">601002</a></li> <li>with anal stenosis: ORPHAcode <a href="#">601008</a></li> <li>with pouch colon: ORPHAcode <a href="#">601013</a></li> <li>with rectal atresia: ORPHAcode <a href="#">601018</a></li> <li>with rectal stenosis: ORPHAcode <a href="#">601023</a></li> <li>with rectovaginal fistula: ORPHAcode <a href="#">601028</a></li> <li>with H-type fistula: ORPHAcode <a href="#">601033</a></li> </ul> <p>Non-syndromic cloacal malformation: ORPHAcode <a href="#">600998</a></p> <p>Anal fistula: ORPHAcode <a href="#">228113</a> / ICD-10 Code <a href="#">K60.3</a></p> <p>VACTERL/VATER association: ORPHAcode <a href="#">887</a> / ICD-10 Code <a href="#">Q87.2</a></p>	<p>DE Bremen-Mitte Klinik</p> <p>DE Leipzig UK</p> <p>DE Mannheim UK</p> <p>DE Aachen UK</p> <p>DK Aarhus DNU</p> <p>DK Copenhagen Rigshospitalet</p> <p>ES Barcelona Sant Joan</p> <p>ES Madrid La Paz</p> <p>ES Barcelona Fundació Puigvert</p> <p>FI Helsinki HUS</p> <p>FR Paris Necker</p> <p>IT Bergamo Papa Giovanni XXIII</p> <p>IT Padua AOU</p> <p>IT Bologna AOU</p> <p>IT Milan Policlinico</p> <p>IT Rome Bambino Gesù</p> <p>LT Vilnius SK</p> <p>LV Riga BKUS</p> <p>NL Amsterdam AMC</p> <p>NL Groningen UMC</p> <p>NL Rotterdam Erasmus</p> <p>NL Nijmegen Radboudumc</p> <p>PL Gdansk MUG</p> <p>PL Krakow USD</p> <p>SE Stockholm Karolinska</p> <p>SE Gothenburg Sahlgrenska</p> <p>SE Lund SUS</p>
<p><a href="#">WS2 - functional urogenital conditions requiring highly specialised surgery</a> (adult patients)</p> <p><b>WS Lead:</b> Margit Fisch, DE Hamburg-Eppendorf UK</p> <p><b>Clinical Lead:</b> vacant</p>	<p><b>2.1 Complicated &amp; complex pelvic floor disorders</b></p> <p><b>EAC:</b> John Heesakkers, NL Maastricht UMC</p> <p><b>Vice-EAC:</b> Michel Wyndaele, NL Utrecht UMC</p>	<p>Vesicointestinal fistula: ICD-10 Code <a href="#">N32.1</a></p> <p>Vesical fistula, not elsewhere classified: ICD-10 Code <a href="#">N32.2</a></p> <p>Fistulae involving female genital tract: ICD-10 Code <a href="#">N82</a></p> <p>Stress incontinence: ICD-10 Code <a href="#">N39.3</a></p> <p>Other specified urinary incontinence: ICD-10 Code <a href="#">N39.4</a></p> <p>Female genital prolapse: ICD-10 Code <a href="#">N81</a></p>	<p>BE Antwerp UZ</p> <p>BE Leuven UZ</p> <p>DE Hamburg-Eppendorf UK</p> <p>ES Madrid 12 de Octubre</p> <p>ES Barcelona Fundació Puigvert</p> <p>ES Santander Valdecilla</p> <p>FR Paris Necker</p> <p>IT Padua AOU</p> <p>IT Rome Gemelli</p> <p>NL Nijmegen Radboudumc</p> <p>NL Utrecht UMC</p> <p>SE Stockholm Karolinska</p>
<p><b>Education Lead:</b> Frank van der Aa, BE Leuven UZ</p>	<p><b>2.2 Rare diseases &amp; conditions affecting the female urethra</b></p> <p><b>EAC:</b> vacant</p>	<p>Urethral stricture, urethral fistula: ICD-10 Codes <a href="#">N35</a>, <a href="#">N36</a></p>	<p>BE Antwerp UZ</p> <p>BE Leuven UZ</p> <p>DE Hamburg-Eppendorf UK</p> <p>ES Madrid 12 de Octubre</p>

<b>Research Lead:</b> John Heesakkers, NL Maastricht UMC	<b>Vice-EAC:</b> vacant		IT Padua AOU IT Rome Gemelli NL Nijmegen Radboudumc NL Utrecht UMC SE Stockholm Karolinska
	<b>2.3 Urethral reconstruction in rare diseases &amp; conditions</b>  <b>EAC:</b> Gunter de Win, BE Antwerp UZ  <b>Vice-EAC:</b> vacant	Urethral stricture, urethral fistula: ICD-10 Codes <a href="#">N35</a> , <a href="#">N36</a>	BE Antwerp UZ BE Leuven UZ DE Hamburg-Eppendorf UK ES Madrid 12 de Octubre ES Barakaldo Cruces ES Barcelona Fundació Puigvert ES Santander Valdecilla IT Padua AOU IT Rome Gemelli NL Nijmegen Radboudumc NL Utrecht UMC SE Stockholm Karolinska SE Lund SUS SE Uppsala Akademiska
	<b>2.4 Rare retroperitoneal diseases &amp; conditions</b>  <b>EAC:</b> vacant  <b>Vice-EAC:</b> vacant	Obstructive and reflex uropathy: ICD-10 Code <a href="#">N13</a> IgG4-related retroperitoneal fibrosis: ORPHAcode <a href="#">49041</a> Familial vesicoureteral reflux: ORPHAcode <a href="#">289365</a>	BE Antwerp UZ BE Leuven UZ DE Hamburg-Eppendorf UK ES Madrid La Paz ES Barcelona Fundació Puigvert IT Padua AOU IT Rome Gemelli
	<b>2.5 Interstitial Cystitis</b>  <b>EAC:</b> Mariangela Mancini, IT  <b>Vice-EAC:</b> Alessandro Giammò, IT Turin AOU  <b>ePAGs:</b> Anna De Santis, <a href="#">AICI</a> (IT) Serena Bartezzi, independent (IT)	Interstitial cystitis: ORPHAcode <a href="#">37202</a> / ICD-10 Codes <a href="#">N30.1</a> , <a href="#">N30.8</a> , <a href="#">N30.9</a>	BE Antwerp UZ BE Leuven UZ DE Hamburg-Eppendorf UK ES Madrid 12 de Octubre ES Madrid La Paz ES Barcelona Fundació Puigvert IT Padua AOU IT Turin AOU IT Rome Gemelli NL Nijmegen Radboudumc
	<b>2.6 Adult urogenital reconstructive surgery (transition from WS1)</b>	From congenital malformations: see WS1 Expertise Areas Rare tumours with highly specialized surgery: <ul style="list-style-type: none"> <li>Nephroblastoma (Wilms' tumor): ORPHAcode <a href="#">654</a></li> </ul>	BE Antwerp UZ DE Mannheim UK DE Hamburg-Eppendorf UK ES Barcelona Fundació Puigvert

	<p><b>EAC:</b> Laetitia de Kort, NL Utrecht UMC</p> <p><b>Vice-EAC:</b> vacant</p>	<ul style="list-style-type: none"> <li>• Neuroblastoma: ORPHAcodes <a href="#">635</a></li> <li>• Rhabdomyosarcoma: ORPHAcode <a href="#">780</a>,</li> <li>• Vulvovaginal rhabdomyosarcoma: ORPHAcode <a href="#">206492</a>,</li> <li>• Rhabdomyosarcoma of the cervix uteri: ORPHAcode <a href="#">213802</a>,</li> <li>• Rhabdomyosarcoma of the corpus uteri: ORPHAcode <a href="#">213615</a></li> <li>• Malignant neoplasm of other connective and soft tissue, unspecified: ICD-10 Code <a href="#">C49.9</a></li> <li>• Malignant neoplasm of vagina: ICD-10 Code <a href="#">C52</a></li> <li>• Malignant neoplasm of cervix uteri: ICD-10 Codes <a href="#">C53</a>, <a href="#">C53.1</a>, <a href="#">C53.8</a></li> <li>• Malignant neoplasm of corpus uteri: ICD-10 Code <a href="#">C54.2</a></li> <li>• Malignant neoplasm of kidney, except renal pelvis: ICD-10 Code <a href="#">C64</a></li> <li>• Malignant neoplasm of adrenal gland: ICD-10 Code <a href="#">C74.9</a></li> </ul>	<p>NL Utrecht UMC</p>
	<p><b>2.7 Surgery for transgender patients</b></p> <p><b>EAC:</b> Armin Soave, DE Hamburg-Eppendorf UK</p> <p><b>Vice-EAC:</b> Timo Ole Nieder, DE Hamburg-Eppendorf UK</p>	<p>Transgender: Male-to-female and female-to-male surgery and surgery for complications: ICD-10 Code <a href="#">F64</a></p>	<p>DE Mannheim UK DE Hamburg-Eppendorf UK</p>
<p><a href="#">WS3 - rare urogenital cancers</a></p> <p><b>WS Lead:</b> Hans Langenhuijsen, NL Nijmegen Radboudumc</p> <p><b>Clinical Lead:</b> Peter-Paul Willemse, NL Utrecht UMC</p> <p><b>Education Lead:</b> Mariangela Mancini, IT</p>	<p><b>3.1 Penile cancer</b></p> <p><b>EAC:</b> Oscar Brouwer, NL Amsterdam AvL</p> <p><b>Vice-EAC:</b> Marco Falcone, IT Turin AOU</p> <p><b>ePAGs:</b> John Osborne, independent (UK) Kenneth Manzie, independent (UK) Rob Cornes, <a href="#">Orchid</a> (UK)</p>	<p>Malignant tumour of penis: ORPHAcode <a href="#">398043</a> / ICD-10 Code <a href="#">C60</a></p>	<p>BE Leuven UZ IT Padua AOU NL Amsterdam AvL</p>

<b>Research Lead:</b> vacant	<b>3.2 Testicular cancer</b>  <b>EAC:</b> Yue Che, DE Düsseldorf UK  <b>Vice-EAC:</b> Tomas Buchler, CZ Prague Thomayer  <b>ePAG:</b> Rob Cornes, <a href="#">Orchid</a> (UK)	Tumour of testis and paratestis: ORPHAcode <a href="#">363472</a> / ICD-10 Code <a href="#">C62</a>	BE Leuven UZ CZ Prague Thomayer DE Düsseldorf UK DE Hamburg-Eppendorf UK ES Barcelona Fundació Puigvert ES Santander Valdecilla HR Zagreb KBC IT Padua AOU LT Vilnius SK NL Rotterdam Erasmus NL Amsterdam AvL NL Utrecht UMC PT Porto IPO
	<b>3.3 Adrenal tumours</b>  <b>EAC:</b> Hans Langenhuijsen, NL Nijmegen Radboudumc  <b>Vice-EAC:</b> Nikola Knežević, HR Zagreb KBC	Benign neoplasm of pituitary gland: ICD-10 Code <a href="#">D35.2</a> Cushing syndrome: ICD-10 Codes <a href="#">E24.0</a> , <a href="#">E24.8</a> Adrenogenital disorders: ICD-10 Code <a href="#">E25.0</a> Phakomatoses, not elsewhere classified: ICD-10 Code <a href="#">Q85.8</a> Von Hippel-Lindau disease: ORPHAcode <a href="#">892</a> Classic congenital adrenal hyperplasia due to 21-hydroxylase deficiency, simple virilizing form: ORPHAcode <a href="#">315311</a> Rare primary hyperaldosteronism: ORPHAcode <a href="#">181415</a> / ICD-10 Code <a href="#">E26.0</a>	BE Leuven UZ ES Barcelona Fundació Puigvert ES Santander Valdecilla HR Zagreb KBC LT Vilnius SK NL Nijmegen Radboudumc SE Lund SUS
	<b>3.4 Abdomino-pelvic sarcoma</b>  <b>EAC:</b> vacant  <b>Vice-EAC:</b> vacant	Kaposi sarcoma: ICD-10 Code <a href="#">C46.9</a> Malignant neoplasm of peripheral nerves of abdomen and pelvis: ICD-10 Codes <a href="#">C47.4</a> , <a href="#">C47.5</a> Malignant neoplasm of retroperitoneum and peritoneum: ICD-10 Code <a href="#">C48</a> Malignant neoplasm of other connective and soft tissue of abdomen and pelvis: ICD-10 Codes <a href="#">C49.4</a> , <a href="#">C49.5</a>	BE Leuven UZ ES Barcelona Fundació Puigvert IT Padua AOU LT Vilnius SK
	<b>3.5 Rare renal tumour surgery</b>  <b>EAC:</b> vacant  <b>Vice-EAC:</b> vacant	Renal cell carcinoma: ORPHAcode <a href="#">217071</a> / ICD-10 Code <a href="#">C64</a> Malignant neoplasm of adrenal gland: ICD-10 Code <a href="#">C74</a> Secondary malignant neoplasm of other and unspecified sites: ICD-10 Code <a href="#">C79.8</a> Neoplasm of uncertain or unknown behaviour of urinary organs: ICD-10 Code <a href="#">D41</a> Neoplasm of uncertain or unknown behaviour of adrenal gland: ICD-10 Code <a href="#">D44.1</a> Other venous embolism and thrombosis of vena cava and renal vein: ICD-10 Codes <a href="#">I82.2</a> , <a href="#">I82.3</a>	ES Barcelona Fundació Puigvert ES Santander Valdecilla NL Nijmegen Radboudumc